



GROUND CONTROL · DEFENSE HANDHELD

# C-SROC

A ruggedized, NDAA-compliant handheld GCS on the Samsung Galaxy Active Tab 5 (Tactical) — hot-swap power, swappable radio modules, and Nett Warrior built in.

**7" WXGA**

750-NIT

**MIL-810H**

IP65

**AES-256**

STIG

**927 G**

HANDHELD

**NETT WARRIOR**

EUD



# SOLDIER ROBOTIC CONTROLLER.

Standardized defense control, uncompromising persistence — a ruggedized handheld GCS built on the Samsung Galaxy Active Tab 5 (Tactical Edition), with soft-touch ABS, a 5D plus dual Hall-effect joysticks, and a 750-NIT glove-touch display.

Modular open-system architecture: hot-swappable SBM power, swappable SRM radio modules, and a Nett Warrior connector built into the handle — AES-256, STIG-compliant, NDAA Section 848.






## 02 - CONFIGURATION HIGHLIGHTS

<p><b>01</b></p> <p><b>7"</b></p> <p>750-NIT DISPLAY</p>	<p><b>02</b></p> <p><b>MIL-810H</b></p> <p>IP65</p>	<p><b>03</b></p> <p><b>AES-256</b></p> <p>STIG</p>	<p><b>04</b></p> <p><b>Nett Warrior</b></p> <p>EUD</p>	<p><b>05</b></p> <p><b>927 g</b></p> <p>HANDHELD</p>
--	---	--	--	--

03 - COMPATIBLE PLATFORMS

# FLIES EVERY CARRIER PLATFORM.

MAVLINK-NATIVE · MOST THIRD-PARTY UAVS & AUTOPILOTS

		
<p><b>H6 FAMILY</b> ELECTRIC · HYDRONE · HYBRID EFI</p> <ul style="list-style-type: none"><li>■ 5-8 kg Payloads</li><li>■ Hex airframe · foldable</li><li>■ One frame · three power systems</li></ul>	<p><b>CARRIER HX8</b> COAXIAL X8 OCTOCOPTER</p> <ul style="list-style-type: none"><li>■ 8 kg Payload</li><li>■ Motor redundancy</li><li>■ 21" payload bay</li></ul>	<p><b>H4C QUAD</b> COMPACT HEAVY-LIFT</p> <ul style="list-style-type: none"><li>■ 4 kg Payload</li><li>■ Folds to backpack size</li><li>■ &lt;90 s deploy</li></ul>

■ SRM SLEDGE SWAPPABLE RADIOS · NETT WARRIOR CONNECTOR · EUD-COMPATIBLE

04 - SPECIFICATIONS

# TECHNICAL SPECIFICATIONS.

## A DISPLAY & CONTROLS

DISPLAY	7" WXGA · 1280x800 · 750 NIT	PRIMARY JOYSTICK	1× 5D
TOUCH	10-pt Capacitive · Direct Bonding · AR · Glove	HALL-EFFECT JOYSTICKS	2× 2-Axis
OS	Android (or Windows)	AUX JOYSTICKS	2× 1-Axis
CPU	Qualcomm SDM660 · 2.2 GHz Octa-Core	BUTTON ARRAY	4× Push · 12× Bezel · 2× Presence
MEMORY	4 GB LPDDR4		

## B POWER, COMMS, SECURITY & BUILD

POWER	Hot-Swap Dynamically-Balancing SBM Slots	SECURITY	ARM® TrustZone®
RADIO	SRM Sledge · Swappable Radio Modules	COMPLIANCE	STIG-Compliant · NDA Sec 848
TACTICAL PORT	Nett Warrior · EUD Compatible	FOUNDATION	Samsung Galaxy Active Tab 5 (Tactical)
USB	USB 3.0 Type-C Host (OTG / DP / HDMI)	DURABILITY	MIL-STD-810-H · IP65
ENCRYPTION	AES-256 (Available)	BUILD	256 × 140 × 68 mm · 927 g · USA



# HARRIS AERIAL

C-SROC

C-SROC · PRODUCT BROCHURE

# C-SROC.

— CONTACT

WEB

[harrisaerial.com](http://harrisaerial.com)

EMAIL

[info@harrisaerial.com](mailto:info@harrisaerial.com)

PHONE

**(407) 725-7886**